


## CHAPTER 9 Review

1. In respiration, is glucose oxidized or reduced? \_\_\_\_\_
2. Explain why electrons lose energy when they are transferred to a more electronegative atom. \_\_\_\_\_
3. What coenzyme is reduced during glycolysis? \_\_\_\_\_
4. Where does glycolysis occur in the cell? \_\_\_\_\_
5. Substrate-level phosphorylation occurs during which two processes? \_\_\_\_\_
6. Oxidative phosphorylation occurs during this process: \_\_\_\_\_
7. Is NADH an oxidizing agent or a reducing agent? \_\_\_\_\_
8. Why is glycolysis an anaerobic process? \_\_\_\_\_
9. How many ATPs are produced during glycolysis by substrate-level phosphorylation? \_\_\_\_\_
10. How many molecules of pyruvate are produced from every molecule of glucose during glycolysis? \_\_\_\_\_
11. What would occur if one of the enzymes of the Krebs cycle was inhibited? \_\_\_\_\_
12. In what part of the cell is pyruvate converted to acetyl Co A? \_\_\_\_\_
13. What does Coenzyme A carry to the Krebs cycle? \_\_\_\_\_
14. Pyruvate has \_\_\_\_\_ carbons, while the acetyl group on acetyl CoA has \_\_\_\_\_ carbons. What happened to the other carbon? \_\_\_\_\_
15. What does it mean to say that the ET chain and chemiosmosis are "coupled?" What does an "uncoupler" do? \_\_\_\_\_
16. How many turns of the Krebs cycle occur for each glucose molecule? \_\_\_\_\_
17. For each turn of the Krebs cycle, two carbons enter in the form of \_\_\_\_\_ and two carbons exit in the form of \_\_\_\_\_.
18. For each turn of the Krebs cycle, \_\_\_\_\_ molecules of NAD<sup>+</sup> are reduced, \_\_\_\_\_ molecules of FAD<sup>+</sup> is reduced, and \_\_\_\_\_ ATP is produced by substrate-level phosphorylation.
19. By the end of the Krebs cycle, what has happened to the six carbons of glucose? \_\_\_\_\_
20. By the end of the Krebs cycle, in what form is most of the extracted energy from glucose? \_\_\_\_\_
21. How does the form of the cristae fit its function? \_\_\_\_\_

22. The flow of electrons down the electron transport chain is an (exergonic/endergonic) \_\_\_\_\_ pathway.
23. What is the function of prosthetic groups in the electron transport chain?
24. Why does FADH<sub>2</sub> provide 2/3 the energy for ATP synthesis as NADH?
25. \_\_\_\_\_ is the final electron acceptor at the end of the ET chain and it forms \_\_\_\_\_.
26. Where in the mitochondria is there a build-up of a H<sup>+</sup> concentration gradient?
27. How is the H<sup>+</sup> gradient created?
28. At what places is the inner mitochondrial membrane permeable to H<sup>+</sup> leaking down its gradient?
29. Would yeast consume more glucose under anaerobic or aerobic conditions?
30. The ATP synthase complex looks like a lollipop in the inner membrane. Are the heads of the lollipops pointing toward the matrix or the inner membrane compartment?
31. Each molecule of glucose upon combustion releases 686 Kcal/mol of energy. Each ATP contains 7.3 Kcal/mol of energy. How efficient is aerobic respiration (percent)?
32. What happens to the energy that is not used to make ATP?
33. Why do eukaryotes produce less ATP per glucose (36) than prokaryotes (38)?
34. Why is champagne bubbly and why does bread rise?
35. Why is it essential to oxidize NADH during fermentation?
36. Lactate may accumulate in muscle cells because of an "oxygen debt." What later happens to lactate, and how is the oxygen debt paid?
37. Explain why are muscle cells behave as facultative anaerobes.
38. Why is the allosteric enzyme phosphofructokinase called the "pacemaker of respiration?"

**INTERACTIVE QUESTION 9.2**

Fill in the appropriate terms in the following equation.



$Xe^-$  is the reducing agent; it c. \_\_\_\_\_ electrons.  
 $Y$  is the d. \_\_\_\_\_; it e. \_\_\_\_\_ electrons.

**INTERACTIVE QUESTION 9.3**


- In the conversion of glucose and  $O_2$  to  $CO_2$  and  $H_2O$ , which molecule becomes reduced?
- Which molecule becomes oxidized?
- What happens to the energy that is released in this redox reaction?

**INTERACTIVE QUESTION 9.4**

- $NAD^+$  is called an \_\_\_\_\_.
- Its reduced form is \_\_\_\_\_.


**INTERACTIVE QUESTION 9.6**

Fill in the blanks in the following summary diagram of glycolysis.



**INTERACTIVE QUESTION 9.8**

Label the following diagram of oxidative phosphorylation in a mitochondrial membrane.



Process	Main Function	Inputs	Outputs
Glycolysis			
Pyruvate to acetyl CoA			
Citric acid cycle			
Oxidative phosphorylation			
Fermentation			

## Test Your Knowledge

**MULTIPLE CHOICE:** Choose the one best answer.

- When electrons move closer to a more electronegative atom,
  - energy is released.
  - energy is consumed.
  - a proton gradient is established.
  - water is produced.
  - ATP is synthesized.
- In the reaction  $C_6H_{12}O_6 + 6 O_2 \rightarrow 6 CO_2 + 6 H_2O$ ,
  - glucose becomes reduced.
  - oxygen becomes reduced.
  - oxygen becomes oxidized.
  - water is a reducing agent.
  - oxygen is a reducing agent.
- Which of the following reactions is *incorrectly* paired with its location?
  - ATP synthesis—inner membrane of the mitochondrion, mitochondrial matrix, and cytosol
  - fermentation—cell cytosol
  - glycolysis—cell cytosol
  - substrate-level phosphorylation—cytosol and mitochondrial matrix
  - citric acid cycle—cristae of mitochondrion
- When pyruvate is converted to acetyl CoA,
  - $CO_2$  and ATP are released.
  - a multienzyme complex removes a carboxyl group, transfers electrons to  $NAD^+$ , and attaches a coenzyme.
  - one turn of the citric acid cycle is completed.
  - $NAD^+$  is regenerated so that glycolysis can continue to produce ATP by substrate-level phosphorylation.
  - phosphofructokinase is activated and glycolysis continues.
- How many molecules of  $CO_2$  are generated for each molecule of acetyl CoA introduced into the citric acid cycle?
  - 1
  - 2
  - 3
  - 4
  - 6
- Which of the following statements correctly describes the role of oxygen in cellular respiration?
  - It is reduced in glycolysis as glucose is oxidized.
  - It combines with  $H^+$  diffusing through ATP synthase to produce  $H_2O$ .
  - It provides the activation energy needed for oxidation to occur.
  - It is the final electron acceptor for the electron transport chain.
  - It combines with the carbon removed during the citric acid cycle to form  $CO_2$ .
- In the chemiosmotic mechanism,
  - ATP production is linked to the proton gradient established by the electron transport chain.
  - the difference in pH between the intermembrane space and the cytosol drives the formation of ATP.
  - the flow of  $H^+$  through ATP synthases rotates a rotor and rod, driving the hydrolysis of ADP.
  - the energy released by the reduction and subsequent oxidation of electron carriers transfers a phosphate to ADP.
  - the production of water in the mitochondrial matrix by the reduction of oxygen leads to a net flow of water out of a mitochondrion.
- Fermentation produces less ATP than cellular respiration because
  - $NAD^+$  is regenerated by alcohol or lactate production, without the electrons of NADH passing through the electron transport chain.
  - pyruvate still contains most of the "hilltop" electrons that were present in glucose.
  - its starting reactant is pyruvate and not glucose.
  - a and b are correct.
  - a, b, and c are correct.
- Muscle cells in oxygen deprivation gain which of the following from the reduction of pyruvate?
  - ATP
  - ATP and  $NAD^+$
  - $CO_2$  and  $NAD^+$
  - ATP, alcohol, and  $NAD^+$
  - ATP and  $CO_2$